



9 - 12 blade tips may be visible

13 - 16 blade tips may be visible

1 - 4 blade tips may be visible

Viewpoint Parameters

OS reference: E247 353, 620 045

Ground Level Elevation: 247m AOD

Camera Height: 1.5m AGL

Direction of view to site centre³: 146°

Distance to nearest turbine: 14,626m

Number of blade tips theoretically visible⁴: 16

Number of hubs theoretically visible⁴: 15

Date and time of viewpoint photography: 11/06/2014 @ 17:30

ramera: Canon EOS 5D Mk2

Lens: 50mm (Canon EF 50mm f/1.8)

Information on the limitations of visualisations:

Visualisations of wind farms have a number of limitations which you should be aware of when using them to form a judgement on a wind farm proposal. These include:

- A visualisation can never show exactly what the wind farm will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the image;
- The images provided give a reasonable impression of the scale of the turbines and the distance to the turbines, but can never be 100% accurate;
- A static image cannot convey turbine movement, or flicker or reflection from the sun on the turbine blades as they move;
- The viewpoints illustrated are representative of views in the area, but cannot represent visibility at all locations;
- To form the best impression of the impacts of the wind farm proposal these images are best viewed at the viewpoint location shown;
- The images must be printed at the right size to be viewed properly (260mm by 820mm);
- You should hold the images flat at a comfortable arm's length. If viewing these images on a wall or board at an exhibition, you should stand at arm's length from the image presented.
- The ZTV presented here takes no account of the screening effects of vegetation or buildings.

Additional notes:

This figure has been based on the following parameters:
 Turbine layout file: LENOCH048.WFL

Hub height: 80m • Rotor diameter: 100m • Height to blade tip: 130m

- 2. Turbine positions could be subject to micro-siting (typically up to 50m).
- 3. Direction given as bearing relative to Grid North (BNG).
- The number of turbine blades and hubs theoretically visible is counted from the wireframe in sets of 3 and ignores the screening effects of any intervening objects and forestry.

Enoch Hill Wind Farm Further Environmental Information



Figure 9.40a
Viewpoint 14: A70 between Cumnock
and Prestwick

53.5° horizontal field of view 5 - 8 blade tips may be visible

Based upon the Ordnance Survey Map with the permission of the Controller of Her Majesty's Stationery Office. © Crown Copyright. 100027856

90° horizontal field of view

October 2016

37898-GOS036.indd switm



Hare Hill @ ~20km Hare Hill Extension @ ~21km Afton @ ~20km Pencloe @ ~18km South Kyle @ ~15km Windy Standard @ ~22km

14 13 11 10 8 9 5 12 2 6 15 7 1 4 3 16



Wireline drawing

View flat at a comfortable arm's length

Wind Farm Key: Enoch Existing Consented Application

Eye level:

Direction of view:

841mm x 297mm (half A1) Camera height:

Canon EOS 5D Mk2 50mm (Canon EF 50mm f/1.8) 1.5m AGL

Enoch Hill Wind Farm Further Environmental Information



Figure 9.40c

