

5 - 8 blade tips may be visible

9 - 12 blade tips may be visible

13 - 16 blade tips may be visible

## **Viewpoint Parameters**

OS reference: E242 097, N586 987

Ground Level Elevation: 786m AOD

Camera Height: 1.5m AGL

36° Direction of view to site centre3:

Distance to nearest turbine: 23,952m

Number of blade tips theoretically visible4: 16

Number of hubs theoretically visible4: 16

Date and time of viewpoint photography: 04/08/2012 @ 15:58

Camera: Canon EOS 5D Mk2

50mm (Canon EF 50mm f/1.8)

## Information on the limitations of visualisations:

Visualisations of wind farms have a number of limitations which you should be aware of when using them to form a judgement on a wind farm proposal. These include:

- A visualisation can never show exactly what the wind farm will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the image;
- The images provided give a reasonable impression of the scale of the turbines and the distance to the turbines, but can never be 100% accurate;
- A static image cannot convey turbine movement, or flicker or reflection from the sun on the turbine blades as they move;
- · The viewpoints illustrated are representative of views in the area, but cannot represent visibility at all locations;
- To form the best impression of the impacts of the wind farm proposal these images are best viewed at the viewpoint location shown;
- The images must be printed at the right size to be viewed properly (260mm by 820mm);
- You should hold the images flat at a comfortable arm's length. If viewing these images on a wall or board at an exhibition, you should stand at arm's length from the image
- The ZTV presented here takes no account of the screening effects of vegetation or buildings.

## Additional notes:

1. This figure has been based on the following parameters: Turbine layout file: LENOCH048.WFL

Hub height: 80m • Rotor diameter: 100m • Height to blade tip: 130m

- 2. Turbine positions could be subject to micro-siting (typically up to 50m).
- 3. Direction given as bearing relative to Grid North (BNG).
- 4. The number of turbine blades and hubs theoretically visible is counted from the wireframe in sets of 3 and ignores the screening effects of any intervening objects and forestry.

**Enoch Hill Wind Farm Further Environmental** Information




Figure 9.46a Viewpoint 20: Kirriereoch Hill

Based upon the Ordnance Survey Map with the permission of the Controller of Her Majesty's Stationery Office. © Crown Copyright. 100027856

90° horizontal field of view

53.5° horizontal field of view

September 2016 37898-GOS042.indd switm



Polqhairn @ ~ 27km

Hare Hill @ ~ 31km Windy Standard @ ~ 23km Windy Standard Extension @ ~ 21km South Kyle @ ~ 19km Hare Hill Extension @ ~ 31km Pencloe @ ~ 25km Sanquhar Six @ ~ 31km Sanquhar @ ~ 33km

1 2 3 15 5 8 4 6 11 9 14 7 16 10 13 12

Wireline drawing

View flat at a comfortable arm's length

Wind Farm Key: Enoch Existing Consented Application

787.5m AOD Direction of view:

Eye level:

841mm x 297mm (half A1) Camera height:

Canon EOS 5D Mk2 50mm (Canon EF 50mm f/1.8) 1.5m AGL

Enoch Hill Wind Farm Further Environmental Information



Lorg @ ~ 26km