- 4 blade tips may be visible

- 8 blade tips may be visible

Viewpoint Parameters

OS reference: E260 282, N614 749

Ground Level Elevation: 193m AOD

Camera Height: 1.5m AGL

Direction of view to site centre³: 206°

Distance to nearest turbine: 7,187m

Number of blade tips theoretically visible⁴: 16

Number of hubs theoretically visible⁴: 15

Date and time of viewpoint photography: 02/11/2017 @ 11:55

Camera: Canon EOS 5D Mk2

Lens: 50mm (Canon EF 50mm f/1.8)

Information on the limitations of visualisations:

Visualisations of wind farms have a number of limitations which you should be aware of when using them to form a judgement on a wind farm proposal. These include:

- A visualisation can never show exactly what the wind farm will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the image;
- The images provided give a reasonable impression of the scale of the turbines and the distance to the turbines, but can never be 100% accurate;
- A static image cannot convey turbine movement, or flicker or reflection from the sun on the turbine blades as they move;
- The viewpoints illustrated are representative of views in the area, but cannot represent visibility at all locations;
- To form the best impression of the impacts of the wind farm proposal these images are best viewed at the viewpoint location shown;
- The images must be printed at the right size to be viewed properly (260mm by 820mm);
- You should hold the images flat at a comfortable arm's length. If viewing these images on a
 wall or board at an exhibition, you should stand at arm's length from the image presented.
- The ZTV presented here takes no account of the screening effects of vegetation or buildings.

Additional notes:

This figure has been based on the following parameters:
 Turbine layout file: LENOCH062.WFL

• Hub height: 81.9m • Rotor diameter: 136m

© Crown copyright. All rights reserved. Licence number AL100001776

9 - 12 blade tips may be visible

13 - 16 blade tips may be visible

- Height to blade tip: 149.9m
- 2. Turbine positions could be subject to micro-siting (typically up to 50m).
- 3. Direction given as bearing relative to Grid North (BNG).
- 4. The number of turbine blades and hubs theoretically visible is counted from the wireframe in sets of 3 and ignores the screening effects of any intervening objects and forestry.
- 5. This figure is produced in accordance with SNH Visual Representation of Wind Farms 2017 guidance and also broadly accords with the Landscape Institute's Technical Guidance Note 6/19 (Type 4 Visualisation).

Client



Enoch Hill Wind Farm Variation Application EIA Report

Figure V9.33a Viewpoint 7: Lochside Hotel

May 2020




wood.



Key

90° horizontal field of view

53.5° horizontal field of view



Windy Standard Phase III @ 11,746m

Windy Standard Extension @ 10,502m

Pencloe [Consented] @ 7,699m

Pencloe [Variation] @ 7,591m

South Kyle @ 8,749m

Wireline drawing

Wind Farm Key: The Enoch Hill Wind Farm Existing Consented Application Scoping Variation

Eye level: Direction of view: 194.5m AOD

841mm x 297mm (half A1) Camera height:

Canon EOS 5D Mk2 50mm (Canon EF 50mm f/1.8) 1.5m AGL

RWE

Enoch Hill Wind Farm Variation Application EIA Report


Figure V9.33c Viewpoint 7: Lochside Hotel

May 2020 • • •

wood.

View flat at a comfortable arm's length







Note: This 135 degree FoV photomontage is produced in addition to the SNH 'Visual Representation of Wind Farms' guidance and illustrates the close relationship of the Variation Development and the consented South Kyle Wind Farm

50mm (Canon EF 50mm f/1.8)

RWE

Enoch Hill Wind Farm Variation Application
EIA Report

Figure V9.33f
Viewpoint 7:
Lochside Hotel

