

Distance to nearest turb

Number of hubs theore

Visualisations of wind farms have a number of limitations which you should be aware of when using them to form a judgement on a wind farm proposal. These include:

A visualisation can never show exactly what the wind farm will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the image;

The images provided give a reasonable impression of the scale of the turbines and the distance to the turbines, but can never be 100% accurate;

A static image cannot convey turbine movement, or flicker or reflection from the sun on the turbine blades as they move;

The viewpoints illustrated are representative of views in the area, but cannot represent visibility at all locations;

viewed at the viewpoint location shown;

• You should hold the images flat at a comfortable arm's length. If viewing these images on a wall or board at an exhibition, you should stand at arm's length from the image presented.

1. This figure has been based on the

Turbine layout file: LENOCH

2. Turbine positions could micro-siting (typically up to

3. Direction given as bear

4. The number of turbine theoretically visible is coun wireframe in sets of 3 and i screening effects of any int

SNH Visual Representation 2017 guidance and also bro the Landscape Institute's Te Note 6/19 (Type 4 Visualisa

	E252 948, N623 634
:	137m AOD
	1.5m AGL
e centre ³ :	167°
bine:	15,720m
heoretically visible ⁴ :	16
etically visible4:	9
oint photography:	20/03/2020 @ 13:40
	Canon EOS 5D Mk2
	50mm (Canon EF 50mm f/1.8)


Information on the limitations of visualisations:

To form the best impression of the impacts of the wind farm proposal these images are best

• The images must be printed at the right size to be viewed properly (260mm by 820mm);

• The ZTV presented here takes no account of the screening effects of vegetation or buildings.

H062.WFL	
	Client
)m	
l be subject to o 50m).	RWE
ing relative to Grid	Enoch Hill Wind Farm Variation Application EIA Report
blades and hubs nted from the ignores the tervening objects	Figure V9.41a Viewpoint 15: A76 North of Auchinleck
in accordance with n of Wind Farms oadly accords with Technical Guidance ation).	May 2020



ll Wind Farm Variation Application rt	Figure V9.41b Viewpoint 15: A76 North of Auchinleck	View flat at a May 2020	comfortable arm's length
林林林林林林	that a d		↑ ↑ ↑ ↑ ↑
	,		Polquhairn @ 9,841m
State Barkey	This in	nage provides landsæpe	ബർ visual രാസ്ക്ഷ് രാപ്യ
			a analy and
	Cardon Maria	1.11	

wood.

• • •

	14 13 11 12	10 9 8 5 7 6 16 15 2 4 3 1		
Hare Hill @ 17,692m	Pencloe [Consented] @ 18,164m	South Kyle @ 16	6,176m	Over Hill @ 10,338m
High Park Farm @ 15,641m Sanquhar II @ 21,104m	Afton @ 19,798m Windy Standard Extension @ 19,903n Windy Standard @ 21,887m Windy Rig @ 24,818m Greenb	າ urn @ 8,663m	Benbrack @ 21,570m ⊣	North Kyle @ 9,225m
Wireline drawing				View flat at a comfortable arm's length
Wind Farm Key: 🛧 Enoch Hill Wind Farm 🛧 Existing 🛧 Consented 🕂 Application 🛧 Scoping 🛧	OS reference: E252 948, N623 634 Eye level: 138.5m AOD Variation Direction of view: 182° Nearest turbine: 15,720m	Horizontal field of view:53.5° (planar projection)Camera:Canon EOS 5D MPrincipal distance:812.5mmLens:50mm (Canon EFPaper size:841mm x 297mm (half A1)Camera height:1.5m AGLCorrect printed image size:820 x 260mmDate and time:20/03/2020 13:40	EF 50mm f/1.8) EIA Report	I Wind Farm Variation Application Figure V9.41c 't Viewpoint 15: A76 North of Auchinleck

OS reference:	E252 948, N623 634	Horizontal field of view:	53.5° (planar projection)	Camera:	Canon EOS 5D Mk2	Client	Enoch Hill V
Eye level:	138.5m AOD	Principal distance:	812.5mm	Lens:	50mm (Canon EF 50mm f/1.8)	DWE	EIA Report
Direction of view:	182°	Paper size:	841mm x 297mm (half A1)	Camera height:	1.5m AGL		
Nearest turbine:	15,720m	Correct printed image size:	820 x 260mm	Date and time:	20/03/2020 13:40		

