

Appendix V1B

Glossary and Abbreviations

Glossary

<p>*Please Note: Those descriptions marked with an asterisk are identical to the terminology provided in the Guidelines for Landscape and Visual Impact Assessment, (GLVIA3) glossary.</p>	
The 2015 ES	The Enoch Hill Wind Farm Environmental Statement that accompanied the planning application for the Consented Development;
The 2017 FEI	The Enoch Hill Wind Farm Further Environmental Information that accompanied the planning application for the Consented Development
The Applicant	RWE Renewables UK Developments Limited
Aquifer	Water-bearing permeable rock
Ancient woodland	Land continuously wooded since AD1600.
Archaeology	The study of past human societies or people through physical evidence of their material culture. In practical terms, and in terms of this assessment, archaeology encompasses sub-surface remains and artefact finds, although can also include visible surface features, such as earthworks. Archaeological evidence can be described as ' <i>in situ</i> ', which means that it has not been significantly disturbed or moved from its original place.
Biodiversity Action Plan	A strategy for conserving and enhancing wild species and wildlife habitats in the UK
Bryophytes	Mosses and liverworts
The Consented Development	The 16 turbines and associated infrastructure of Enoch Hill Wind Farm consented by the Scottish Ministers in September 2019
Couch	Otter resting site – above ground e.g. in reeds or grasses
Cultural heritage	A term which encompasses all features and remains which are the product of human activity. This includes standing buildings, earthwork monuments, industrial features, sub-surface archaeological remains and artefact scatters. It also includes landscapes and their constituent features which have been shaped by human occupation, from planned features such as historic parks and gardens, field boundaries and plantations to changes in flora and fauna as a result of human activity. A broad definition of cultural heritage also encompasses less tangible cultural aspects, such as traditions, customs, beliefs and language. Taken collectively, the present manifestations of the cultural heritage are referred to as the Historic Environment.
Cumulative effects	'Additional changes caused by a proposed development in conjunction with other similar developments or as a combined effect of a set of developments, taken together' (SNH, 2012)
Cumulative landscape effects:	Effects that 'can impact on either the physical fabric or character of the landscape, or any special values attached to it' (SNH, 2012)
Cumulative visual effects:	Effects that can be caused by combined visibility, which 'occurs where the observer is able to see two or more developments from one viewpoint' and/or sequential effects which 'occur when the observer has to move to another viewpoint to see different developments' (SNH 2012)
In combination	Occurs where the observer is able to see two or more developments from one viewpoint:
In succession	In combination
Sequentially	Where two or more developments are or would be within the observer's arc of vision at the same time without moving his/her head (GLVIA3, 2013 Table 7.1).
	In succession
	Where the observer has to turn his/her head to see the various developments – actual and visualised (GLVIA3, 2013 Table 7.1).
	Sequential cumulative effect
	Occurs where the observer has to move to another viewpoint to see the same or different developments. Sequential effects may be assessed for travel along regularly used routes such as major roads or popular paths.

	<p>Frequently sequential</p> <p>Where the features appear regularly and with short time lapses between instances depending on the speed of travel and distance between viewpoints (GLVIA3, 2013 Table 7.1).</p> <p>Occasionally sequential</p> <p>Where longer time lapses between appearances would occur because the observer is moving slowly and/or there are larger distances between the viewpoints (GLVIA3, 2013 Table 7.1).</p>
Degree of change	A combination of the scale extent and duration of an effect also defined as 'magnitude'.
Designated Landscape*	Areas of landscape identified as being of importance at international, national or local levels, either defined by statute or identified in development plans or other documents.
Development*	Any proposal that results in change to the landscape and/or visual environment.
The Development Site	the site of the Consented Development located in East Ayrshire approximately 5km to the south west of New Cumnock and approximately 7km north east of Dalmellington and centred at National Grid Reference (NGR) E257360, N608630
Direct Effects	Effects that occur as a direct result of the Variation Development
ECU	The Energy Consents Unit of the Scottish Government
EIA Regulations	The Electricity Works (Environmental Impact Assessment) Regulations 2017 as amended.
Elements*	Individual parts which make up the landscape, such as, for example, trees, hedges and buildings.
Enhancement*	Proposals that seek to improve the landscape resource of the site and its wider setting beyond its baseline condition.
Environmental fit	The relationship of a development to identified environmental opportunities and constraints in its setting.
European Site	<p>In the context of Chapter 11 - Ecology, defined in the Conservation (Natural Habitats, &c.) Regulations 1994 (as amended in Scotland) as :</p> <p>(a) a Special Area of Conservation,</p> <p>(b) a site of Community importance which has been placed on the list referred to in the third sub-paragraph of Article 4(2) of the Habitats Directive,</p> <p>(c) a site hosting a priority natural habitat type or priority species in respect of which consultation has been initiated under Article 5(1) of the Habitats Directive, during the consultation period or pending a decision of the Council under Article 5(3), or</p> <p>(d) an area classified pursuant to Article 4(1) or (2) of the Wild Birds Directive.</p>
Feature*	Particularly prominent or eye-catching elements in the landscape such as tree clumps, church towers or wooded skylines OR a particular aspect of the project proposal.
Flush	A patch of wet ground, usually on a hillside, where the water flows diffusely and not in a fixed channel
Geographical Information System (GIS)	A system that captures, stores, analyses, manages and presents data linked to location. It links spatial information to a digital database.
GLVIA	Guidelines for Landscape and Visual Impact Assessment, Third Edition, published jointly by the Landscape Institute and Institute of Environmental Management and Assessment, 2013.
GWDE	Groundwater-dependent terrestrial ecosystem
Habitat	Place where an organism (e.g. human, animal, plant, micro-organism) or population of organisms live, characterised by its surroundings, both living and non-living.
Habitats Regulations	The Conservation (Natural Habitats &c.) Regulations 1994 (as amended)
Herpetofauna	Amphibians and reptiles.
Historic Environment Record (HER)	A county-based record of all known archaeological or cultural heritage sites, maintained by the Local Planning Authority.
Historic Landscape Characterisation (HLC) and Historic Land-use Assessment (HLA)	Historic characterisation is the identification and interpretation of the historic dimension of the present-day landscape or townscape within a given area. HLC is the term used in England and Wales, HLA is the term used in Scotland.
Holt	An underground site used by an otter for shelter or protection

HGVs	HGVs will be used to transport roadstone and concrete from the Development Site and are defined as goods vehicles exceeding a gross vehicle weight of 7.5 tonnes. For the purposes of this assessment, the buses and coaches that are accounted for in existing background traffic flows are also included within a HGV classification.
HMP	Habitat Management Plan
Indirect effects*	Effects that result indirectly from the Proposed Development as a consequence of the direct effects, often occurring away from the site, or as a result of a sequence of interrelationships or a complex pathway. They may be separated by distance or in time from the source of the effects. Also used to describe indirect landscape effects concerning perceptual characteristics and qualities of the landscape and indirect visual effects in relation to issues such as 'setting'.
Iterative design process	The process by which project design is amended and improved by successive stages of refinement which respond to growing understanding of environmental issues.
JNCC	Joint Nature Conservation Committee
LBAP	Local Biodiversity Action Plan
Key characteristics	Those combinations of elements which are particularly important to the current character of the landscape and help to give an area its particularly distinctive sense of place.
Land cover	The surface cover of the land, usually expressed in terms of vegetation cover or lack of it. Related to but not the same as land use.
Landscape and Visual Impact Assessment (LVIA)	A tool used to identify and assess the likely significance of the effects of change resulting from development both on the landscape as an environmental resource in its own right and on people's views and visual amenity.
Landscape Character Area (LCA)*	These are single unique areas which are the discrete geographical areas of a particular landscape type.
Landscape Character Assessment (LCA)	The process of identifying and describing variation in the character of the landscape, and using this information to assist in managing change in the landscape. It seeks to identify and explain the unique combination of elements and features that make landscapes distinctive. The process results in the production of a Landscape Character Assessment.
Landscape Character Types (LCTs)*	These are distinct types of landscapes that are usually homogenous in character. They are generic in nature in that they may occur in different areas in different parts of the country, but wherever they occur they share broadly similar combinations of geology, topography, drainage patterns, vegetation and historical land use and settlement pattern, and perceptual and aesthetic attributes. (Topic Paper 6, Countryside Agency and SNH 2004)
Landscape capacity	The degree to which a particular landscape character type or area is able to accommodate change without altering the overall character of the area or its integrity. Capacity is likely to vary according to the type and nature of change being proposed and the management or landuse of the site area.
Landscape character*	A distinct, recognisable and consistent pattern of elements in the landscape that makes one landscape different from another, rather than better or worse.
Landscape character unit	A small area of distinctive or recognisable character within a wider LCA.
Landscape classification	A process of sorting the landscape into different types using selected criteria but without attaching relative values to different sorts of landscape.
Landscape constraints	Components of the landscape resource such as views or mature trees recognised as constraints to development. Often associated with landscape opportunities.
Landscape effects*	Effects on the landscape as a resource in its own right. An assessment of landscape effects deals with the effects of change and development on landscape as a resource. The concern here is with how the proposal will affect the elements that make up the landscape, the aesthetic and perceptual aspects of the landscape and its distinctive character. (GLVIA3 2013, Para 5.1).
Landscape fit	The relationship of a development to identified landscape opportunities and constraints in its setting.
Landscape patterns	Spatial distributions of landscape elements combining to form patterns, which may be distinctive, recognisable and describable e.g. hedgerows and stream patterns.
Landscape quality (condition)*	A measure of the physical state of the landscape. It may include the extent to which typical character is represented in individual areas, the intactness of the landscape and the condition of individual elements.

Landscape qualities	A term used to describe the aesthetic or perceptual and intangible characteristics of the landscape such as scenic quality, tranquility, sense of wildness or remoteness. Cultural and artistic references may also be described here.
Landscape receptors *	Defined aspects of the landscape resource that have the potential to be affected by a proposal.
Landscape resource	The combination of elements that contribute to landscape context, character, and value.
Landscape sensitivity	The sensitivity of a landscape is defined by consideration of factors such as value, quality / condition importance, resilience, susceptibility and capacity of the landscape relative to a particular type of proposed development.
Landscape strategy	The overall vision and objectives for what the landscape should be like in the future, and what is thought to be desirable for a particular landscape type or area as a whole, usually expressed in formally adopted plans and programmes or related documents.
Landscape value*	The relative value that is attached to different landscapes by society. A landscape may be valued by different stakeholders for a whole variety of reasons.
Level of effect	Determined through the combination of sensitivity of the receptor and the proposed magnitude of change brought about by the development.
Legally protected species	Many species of animal and plant receive some degree of legal protection. For the purposes of this study, legal protection refers to: (i) species included on Schedules 2 and 4 of The Conservation (Natural Habitats, &c.) Regulations 1994 (SI 1994 No. 2716) (the 'Habitats Regulations') and Schedules 1, 5 and 8 of the Wildlife and Countryside Act 1981, excluding species that are only protected in relation to their sale (see Section 9[5] and 13[2]) reflecting the fact that the Proposed Development does not include any proposals relating to the sale of species; and (ii) badgers, which are protected under the Protection of Badgers Act 1992.
Mitigation	Measures which are proposed to prevent, reduce and where possible offset any significant adverse effects (or to avoid, reduce and if possible remedy identified effects. (GLVIA3, 2013 Para 3.37).
Nationally Scarce	Species recorded from 16-100 10km squares of the UK national grid
Noise	The ratio between the quietest audible sound and the loudest tolerable sound is a million to one in terms of the change in sound pressure. Because of the wide range, a logarithmic scale is used in noise level measurement. The scale used is the decibel (dB) scale which extends from 0 to 140 decibels (dB) corresponding to the intensity of the sound pressure level. It is widely accepted that a change of 3dB(A) is required for a person to perceive the change in a steady noise level and that an increase or decrease of 10dB(A) is perceived as being twice or half as loud respectively.
Noise	The ear has the ability to recognise a particular sound depending on the pitch or frequencies found at the source. Microphones cannot differentiate noise in the same way as the ear and to account for this, the noise measuring instrument applies a correction to correspond more closely to the frequency response of the human ear. The correction factor is called 'A Weighting' and the resulting measurements are written as dB(A). The dB(A) is internationally accepted and has been found to correspond well with people's subjective reaction to noise.
Noise	The following indices and descriptors are used when describing noise: <ul style="list-style-type: none"> • L_W is the sound power level. It is a measure of the total noise energy radiated by a source of noise, and is used to calculate noise levels at a distant location. The L_{WA} is the A-weighted sound power level; • $L_{eq, T}$ is the equivalent continuous sound level, and is the sound level of a steady sound with the same energy as a fluctuating sound over a time period T. It is possible to consider this level as the ambient noise encompassing all noise at a given time. The L_{Aeq} is the A-weighted equivalent continuous sound level; • $L_{90, T}$ index represents the noise level exceeded for 90 percent of the measurement period over a time-period T and is used to indicate quieter times during the measurement period. It is often used to measure the background noise level. The $L_{A90, T}$ is the A-weighted background noise level.
Noise (continued)	<ul style="list-style-type: none"> • L_{Amax} is the A-weighted maximum recorded noise level during the measurement period; • Hard Ground – a ground cover which includes paving, water, ice, concrete and all other ground surfaces having a low porosity; • Soft Ground (Porous) – ground cover which includes ground covered by grass, trees or other vegetation, and all other ground surface suitable for the growth of vegetation, such as farming land; and

	<ul style="list-style-type: none"> Mixed Ground – the surface consists of both hard and soft (porous) ground.
OHMP	Outline Habitat Management Plan
Passerine	A bird of the order Passeriformes, sometimes known as perching birds or songbirds.
Percentage Impact Assessment	This considers the proportional increase in traffic as a result of the Proposed Development.
Perceptual Aspects	A landscape may be valued for its perceptual qualities, notably wildness and/or tranquillity. (GLVIA3, 2013 Box 5.1)
Personal Injury Accidents	For the purposes of assessing the accident rate on the proposed route, personal injury accident data is obtained from the local authority. PIA data is classed by severity.
Phase 1 Habitat Survey	A standard methodology for recording habitats within a site (JNCC, 2010).
Photomontage*	A visualisation which superimposes an image of the Proposed Development upon a photograph or series of photographs.
Positive or Negative Types of Landscape Effect	<p>The landscape effects may be positive, neutral, or negative.</p> <p>In landscape terms – a positive effect would require development to add to the landscape quality and character of an area. Neutral landscape effects would include low or negligible changes that may be considered as part of the 'normal' landscape processes such as maintenance or harvesting activities. A negative effect may include the loss of landscape elements such as mature trees and hedgerows as part of construction leading to a reduction in the landscape quality and character of an area.</p>
Positive or Negative Types of Visual Effect	<p>The visual effects may be positive, neutral, or negative.</p> <p>In visual terms – positive or negative effects are less easy to define or quantify and require a subjective consideration of a number of factors affecting the view, which may be positive, neutral, or negative. Opinions as to the visual effects of wind energy developments vary widely, however it is not the assumption of this assessment that all change, including substantial levels of change is a negative experience. Rather this assessment has considered factors such as the visual composition of the landscape in the view together with the design and composition, which may or may not be reasonably accommodated within the scale and character of the landscape as perceived from the receptor location.</p>
Probability of Effect	<p>The probability of a landscape and visual effect occurring as a result of the Proposed Development should be regarded as certain, subject to the stated project design and the continuance of the existing, baseline landscape resource, including known changes such as other permitted wind farm development.</p> <p>The probability of cumulative effects however is variable. Whereas those effects related to existing wind energy development and those under construction are considered as certain, effects related to development with planning consent is only considered as likely. Wind energy development sites for which there is a submitted planning application are considered as uncertain and other wind energy development for which no planning application has been made are considered as uncertain / unknown, as the level of uncertainty would be greater.</p>
Rarity	The presence of rare elements or features in the landscape or the presence of a rare Landscape Character Type. (GLVIA3 2013, Box 5.1)
RD	Rotor Diameter
RDB	See under Red Data Book species.
RDP	Restoration and Decommissioning Plan.
Receptor	The resources and people that could be affected by the Proposed Development. For LVIA, the physical landscape resource, special interest, or viewer group that will experience an effect.
Recreation Value	Evidence that the landscape is valued for recreational activity where experience of the landscape is important. (GLVIA3 2013, Box 5.1)
Red Data Book species	National list of endangered, vulnerable and rare species.
Representativeness*	Whether the landscape contains a particular character and/or features or elements which are considered particularly important examples.
Residual effects	Potential environmental effects, remaining after mitigation.
Scale Indicators	Landscape elements and features of a known or recognisable scale such as houses, trees, and vehicles that may be compared to other objects, where the scale of height is less familiar, to indicate their true scale.

Scenic quality	Depends upon perception and reflects the particular combination and pattern of elements in the landscape, its aesthetic qualities, its more intangible sense of place or 'genius loci' and other more intangible qualities. (GLVIA3 2013, Box 5.1)
Seascape	Landscapes with views of the coast or seas, and coasts and adjacent marine environments with cultural, historical and archaeological links with each other.
Sett	The burrows of a badger family group.
Sense of Place (genius loci)	The essential character and spirit of an area: 'genius loci' literally means 'spirit of the place'.
Sensitivity*	A term applied to specific receptors, combining judgements of the susceptibility of the receptor to the specific type of change or development proposed and the value associated to that receptor.
Significance	A measure of the importance or gravity of the environmental effect, defined by significance criteria specific to the environmental topic.
Significant Effects	<p>It is a requirement of the EIA Regulations to determine the likely significant effects of the proposed development on the environment which should relate to the level of an effect and the type of effect. Where possible significant effects should be mitigated.</p> <p>The significance of an effect gives an indication as to the degree of importance (based on the magnitude of the effect and the sensitivity of the receptor) that should be attached to the impact described.</p> <p>Whether or not an effect should be considered significant is not absolute and requires the application of professional judgement.</p> <p>Significant – 'noteworthy, of considerable amount or effect or importance, not insignificant or negligible'. The Concise Oxford Dictionary.</p> <p>For the LVIA assessment, these are those levels and types of landscape and visual effect likely to have a major or important / noteworthy or special effect of which a decision maker should take particular note.</p>
SNH	Scottish Natural Heritage
Spraints	Otter droppings
SSSI	Site of Special Scientific Interest- a statutory designation for sites of national (Great Britain) nature conservation importance.
Susceptibility*	The ability of a defined landscape or visual receptor to accommodate the specific proposed development without undue negative consequences.
Sustainability*	The principle that the environment should be protected in such a condition and to such a degree that ensures new development meets the needs of the present without compromising the ability of future generations to meet their own needs.
Target note	See TN
Territory	The area defended by an individual or group of animals.
Time depth	Historical layering – the idea of landscape as a 'palimpsest', a much written-over asset of landscape.
TN	Target Note - a written record of species/habitats of nature conservation value found in a location that has been surveyed as part of a Phase 1 habitat survey.
Townscape	The character and composition of the built environment including the buildings and the relationships between them, the different types of urban open space, including green spaces, and the relationship between buildings and open spaces.
Type or Nature of effect	Whether an effect is direct or indirect, temporary or permanent, positive (beneficial), neutral or negative (adverse) or cumulative.
Traffic Management Plan (TMP)	The aim of a TMP is to lay out the requirement and provisions to implement the process of achieving the most efficient and safe movement of vehicles on the public highway around the Development Site in conjunction with the efficient movement of vehicles to and from the Proposed Development.
Two-way development traffic	This comprises the incoming delivery vehicle movements and consequent outgoing vehicle movement following drop-off of the load. The assessment assumes the worst case scenario, that the delivery vehicles exit the site without loading residue material.
UK BAP	United Kingdom Biodiversity Action Plan.

Valued	Some assessment criteria used in the EIA Report, e.g. in the biodiversity and cultural heritage assessments consider objectively the 'value' of a particular receptor.
The Variation Development	The revised wind farm whereby the variation proposed is to increase the rotor diameter and blade tip height of all 16 turbines, with their locations and all other associated infrastructure remaining unchanged.
Viewpoints	<p>Selected for illustration of the visual effects these fall broadly into three groups:</p> <ol style="list-style-type: none"> 1) Representative Viewpoints: selected to represent the experience of different types of visual receptor, where larger numbers of viewpoints cannot all be included individually and where the significant effects are unlikely to differ – for example certain points may be chosen to represent the view of users of particular public footpaths and bridleways; 2) Specific Viewpoints: chosen because they are key and sometimes promoted viewpoints within the landscape, including for example, specific local visitor attractions, such as landscapes with statutory landscape designations or viewpoints with particular cultural landscape associations. 3) Illustrative Viewpoints: chosen specifically to demonstrate a particular effect or specific issues, which might, for example, be the restricted visibility at certain locations. (GLVIA3 2013, Para 6.19)
Visual amenity*	The overall pleasantness of the views people enjoy of their surroundings, which provide an attractive visual setting or backdrop for the enjoyment of activities of the people living, working, recreating, visiting or travelling through an area.
Visual dominance	A visual effect often referred to in respect of residential properties that in relation to development would be subject to blocking of views, or reduction of light / shadowing, and high levels of visual intrusion.
Visual effect*	Effects on specific views and on the general visual amenity experienced by people.
Visual Receptors*	Individuals and/or defined groups of people who have the potential to be affected by a proposal.
Visual sensitivity	The sensitivity of visual receptors such as residents, relative to their location and context, to visual change proposed by development.
Visualisation	Computer visualisation, photomontage, or other technique to illustrate the appearance of the Proposed Development from a known location.
Wireline or Wireframe	A computer generated line drawing of the DTM (digital terrain model) and the Proposed Development from a known location.
Zone of Theoretical Visibility (ZTV)*	A map, usually digitally produced, showing areas of land within which a development is theoretical visible.

Abbreviations

AADT	Annual Average Daily Traffic
ACoW	Archaeological Clerk of Works
AEP	Annual Exceedance Probability
AGLV	Area of Great Landscape Value
AGST	Above Ground Storage Tank
AHLV	Area of High Landscape Value
AIA	Aviation Impact Assessment
AIS	Aeronautical Information Service
AM	Aerodynamic or Amplitude Modulation
AMAAA	Ancient Monuments and Archaeological Areas Act 1979
ANSP	Air Navigation Service Provider
AOD	Above Ordnance Datum
AOV	Angle of View
ASPT	Average Score per Taxon
ASA	Advertising Standards Agency
ASA	Archaeologically Sensitive Areas
ATC	Air Traffic Control
ATCC	Air Traffic Control Centre
ATCO	Air Traffic Controller Officers
ATCs	Automatic Traffic Counts
ATP	Area Tourism Partnership
ATTP	Area Tourism Partnership Plan
AWI	Ancient Woodland Inventory
BAP	Biodiversity Action Plan
BARS	Biodiversity Action Reporting System
BBC	British Broadcasting Corporation
BCT	Bat Conservation Trust
BERR	Department for Business Enterprise and Regulatory Reform
BFI	Baseflow Index
BGS	British Geological Survey
BMWP	Biological Monitoring Working Party
BNL	Basic Noise Levels
BoCC	Birds of Conservation Concern
BPP	Bird Protection Plan
BWEA	British Wind Energy Association
BS	British Standard
BT	Blade Tip
BTO	British Trust for Ornithology

CAA	Civil Aviation Authority
CAR	The Water Environment (Controlled Activities) (Scotland) Regulations 2011
CAWL	Core Areas for Wild Land
CCDP	Climate Change Delivery Plan
CBC	Common Bird Census
CBD	Convention on Biological Diversity
CBS	Cement Bound Sand
CCS	Carbon Capture and Storage
CDM	Construction Design and Management
CEH	Centre for Ecology & Hydrology
CEMP	Construction Environmental Management Plan
CEEQUAL	Civil Engineering and Environmental Quality Assessment and Award Scheme
CFP	Carbon Floor Price
CIEEM	Chartered Institute of Ecology and Environmental Managements
CIRIA	Construction Industry Research and Information Association
CLVIA	Cumulative Landscape and Visual Impact Assessment
CMS	Construction Method Statement
CNS	Communication, Navigation and Surveillance
CO₂	Carbon Dioxide
CRH	Collision Risk Height
CRTN	Calculation of Road Traffic Noise
CRV	Collision-Risk Volume
CSM	Common Standards Monitoring
dB	Decibels – The logarithmic measure of sound
dB(A)	Decibels – Weighted to reflect the range of human hearing
DCLG	Department for Communities and Local Government
DECC	Department for Energy and Climate Change
DEFRA	Department for the Environment, Food and Rural Affairs
DETR	Department of the Environment, Transport and the Regions
DfT	Department for Transport
DGC	Dumfries and Galloway Council
DGC	Defence Geographic Centre
DGERC	Dumfries & Galloway Environmental Resources Centre
DGLA	Dumfries and Galloway Landscape Assessment
DGLS	Dumfries and Galloway Windfarm Landscape Capacity <i>Study</i>
DTI	Department of Trade and Industry
DMRB	Design Manual for Roads and Bridges
DNO	Distribution Network Operator
DMP	Drainage Management Plan

DUKES	Digest of UK Energy Statistics
DWS	Drinking Water Standard
EAC	East Ayrshire Council
EC	European Commission
EC	Electrical Conductivity
EclIA	Ecological Impact Assessment
ECoW	Environmental / Ecological Clerk of Works
ECU	Energy Consents Unit
EE	Everything Everywhere
EHO	Environmental Health Officer
EIA	Environmental Impact Assessment
EMP	Environmental Management Plan
EMS	Environmental Management Systems
EPS	European Protected Species
EPS	Emissions Performance Standard
ES	Environmental Statement
ESA	Environmentally Sensitive Areas
ETSU	Energy Technology Support Unit
EQI	Ecological Quality Index
EQS	Environmental Quality Standard
FC	Forestry Commission
FCE	Forestry Civil Engineering
FCS	Forestry Commission Scotland
FEH	Flood Estimation Handbook
FTEs	Full Time Equivalent Jobs
GDLs	Gardens and Designed Landscapes
GES	Government Economic Strategy
GFT	Galloway Fisheries Trust
GHG	Greenhouse Gas
GIS	Geographical Information Systems
GLVIA	Guidelines for Landscape and Visual Impact Assessment, Third Edition, published jointly by the Landscape Institute and Institute of Environmental Management and Assessment, 2013.
GPA	Glasgow Prestwick Airport
GPG	Good Practice Guide
GVA	Gross Value Added
GW	Gigawatts
GWDE	Groundwater Dependant Terrestrial Ecosystem
ha	hectare
HAP	Habitat Action Plans
HER	Historic Environment Record

HGVs	Heavy Goods Vehicles
HH	Hub Height
HLA	Historic Landuse Assessment
HMP	Habitat Management Plan
IPP	Interim Planning Policy
HRA	Habitat Regulations Assessment
HES	Historic Environment Scotland
HSE	Health and Safety Executive
IDSA	International Dark-Sky Association
IEEM	Institute of Ecology and Environmental Management
IEA	Institute of Environmental Assessment
IEMA	Institute of Environmental management and Assessment, formerly the Institute of Environmental Assessment (IEA)
IfA	Institute for Archaeologists
IoA	Institute of Acoustics
IPCC	Intergovernmental Panel on Climate Change
IPP	Interim Planning Policy
IUCN	International Union for Conservation of Nature
JNCC	Joint Nature Conservation Committee
JRC	Joint Radio Company
Km	Kilometre
kV	Kilovolts
kWhr	Kilowatt Hours
L_{A90}	The "A weighted" noise level exceeded for 90 per cent of the specified measurement period
L_{aeq}	The equivalent continuous sound level
L_{W(A)}	Sound Power Level (A-weighted)
LBAP	Local Biodiversity Action Plan
LDP	Local Development Plan
LFA	Low Flying Area
LCA	Landscape Character Areas
LCT	Landscape Character Type
LCU	Landscape Character Unit
LNR	Local Nature Reserve
LoS	Line of Sight
LPA	Local Planning Authority
LUPGN	Land Use Planning System Guidance Note
LTS	Local Transport Strategy
LVIA	Landscape and Visual Impact Assessment
mAOD	Metres Above Ordnance Datum
MAFF	Ministry for Agriculture Fisheries and Food (now DEFRA)

MI/d	Mega litres per day
MoD	Ministry of Defence
MOU	Memorandum of Understanding
MSS	Marine Scotland Science
MSD	Minimum Separation Distance
MW	Megawatts
MWe -	Megawatt Equivalent
MWhr	Megawatt hours
NATS	National Air Traffic Services
NBN	National Biodiversity Network
NCA	National Character Area
NCN	National Cycle Network
NERC	Natural Environment Research Council
NGR	National Grid Reference
NHS	National Health Service
NHZ	Natural Heritage Zone
NMRS	National Monument Record Scotland
NNR	National Nature Reserves
NPF	National Planning Framework
NRTFs	National Road Traffic Forecasts
NSA	National Scenic Area
NSR	Non-Statutory Register
NTS	Non-Technical Summary
NVC	National Vegetation Classification
ODPM	Office for the Deputy Prime Minister
OHMP	Outline Habitat Management Plan
OS	Ordnance Survey
OSA	Old Statistical Account
PAN	Planning Advice Note
PIA	Personal Injury Accidents
PMP	Peat Management Plan
PPG	Pollution Prevention Guidance (issued by SEPA)
PPP	Pollution Prevention Plan
PRoW	Public Right of Way
PSR	Primary Surveillance Radar
PWS	Private Water Supply
QSRMC	Quality Scheme for Ready Mixed Concrete
RAP	Renewables Action Plan
RBD	River Basin District

RBMP	River Basin Management Plan
RCAHMS	Royal Commission on the Ancient and Historical Monuments of Scotland
RD	Rotor Diameter
RDG	Restoration and Decommissioning Plan
RIDDOR	Reporting of Injuries, Diseases and Dangerous Occurrences Regulations
RIVPACS	River Invertebrate Prediction and Classification System
RPM	Revolutions Per Minute
RPP1	Report on Proposals and Policies
RSA	Regional Scenic Area
RSG	Raptor Study Group
RSPB	Royal Society for the Protection of Birds
RUK	RenewableUK
SAAR	Standard Average Annual Rainfall
SAC	Special Area of Conservation
SAP	Species Action Plan
SAWL	Search Areas for Wild Land
SBL	Scottish Biodiversity List
SCADA	Supervisory Control and Data Acquisition
SEPA	Scottish Environment Protection Agency
SFCC	Scottish Fisheries Co-Ordination Centre
SG	Scottish Government
SHEP	Scottish Historic Environment Policy
SIMD	Scottish Index of Multiple Deprivation
SINC	Sites of Importance for Nature Conservation
SLCA	Sensitive Landscape Character Areas
SLM	Sound Level Meter
SMP	Species Management Plan
SMP	Stakeholder Management Plan
SMR	Sites and Monuments Record
SNAWI	Semi Natural Ancient Woodland Inventory
SNH	Scottish Natural Heritage
SNIFFER	Scotland and Northern Ireland Forum for Environmental Research
SPA	Special Protection Area
SPA	Swept Path Analysis
SPG	Supplementary Planning Guidance
SPZ	Source Protection Zone
SPP	Scottish Planning Policy
SPR	Standard Percentage Runoff
SSSI	Site of Special Scientific Interest

STEP	Scottish Trip End Program
SuDS	Sustainable Urban Drainage Systems
SUW	Southern Upland Way
SWMP	Site Waste Management Plan
SWS RASG	South West Scotland Regional Aviation Solution Group
SWT	Scottish Wildlife Trust
TA	Transport Assessment
TGN	Technical Guidance Note
TMP	Traffic Management Plan
TN	Target Note
TSO	Transmission System Operator
TTA	Tactical Training Areas
UK BAP	UK Biodiversity Action Plan
UKCP09	United Kingdom Climate Projections, 2009
UKLFS	United Kingdom Low Flying System
UKTAG	UK Technical Advisory Group for the Water Framework Directive
UNFCCC	United Nations Framework Convention on Climate Change
VERs	Valued Ecological Receptors
VFR	Visual Flight Rules
VP	Vantage point
WANE	Wildlife and Natural Environment (Scotland) Act
WCA	Wildlife and Countryside Act
WFD	Water Framework Directive
WLA	Wild Land Area
WoSAS	West of Scotland Archaeology Service
ZTV	Zone of Theoretical Visibility
ZoC	Zone of Contribution