Key

90° horizontal field of view 60° horizontal field of view 1 - 3 blade tips may be visible - 7 blade tips may be visible 8 - 11 blade tips may be visible

12 - 15 blade tips may be visible

Viewpoint Parameters

OS reference: E269 837, N598 996

Ground Level Elevation: 598m AOD

Camera Height: 1.5m AGL

Direction of view to site centre³: 300°

Distance to nearest turbine: 1,118m

Number of blade tips theoretically visible4: 15

Number of hubs theoretically visible⁴: 15

Date and time of viewpoint photography: 19/05/2022 @ 12:35

Camera: Canon EOS 5D Mk2

50mm (Canon EF 50mm f/1.8)

Information on the limitations of visualisations:

Visualisations of wind farms have a number of limitations which you should be aware of when using them to form a judgement on a wind farm proposal. These include:

- A visualisation can never show exactly what the wind farm will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the image;
- The images provided give a reasonable impression of the scale of the turbines and the distance to the turbines, but can never be 100% accurate;
- A static image cannot convey turbine movement, or flicker or reflection from the sun on the turbine blades as they move;
- The viewpoints illustrated are representative of views in the area, but cannot represent visibility at all locations;
- To form the best impression of the impacts of the wind farm proposal these images are best viewed at the viewpoint location shown;
- The images must be printed at the right size to be viewed properly (260mm by 820mm);
- You should hold the images flat at a comfortable arm's length. If viewing these images on a wall or board at an exhibition, you should stand at arm's length from the image
- The ZTV presented here takes no account of the screening effects of vegetation or

Additional notes:

1. This figure has been based on the following parameters:

Turbine layout file: LS36LORG2020019.WFL

- · Hub height: 119m Rotor diameter: 162m
- Height to blade tip: 200m
- 2. Turbine positions could be subject to micro-siting (typically up to 50m).
- 3. Direction given as bearing relative to Grid North (BNG).
- 4. The number of turbine blades and hubs theoretically visible is counted from the wireframe in sets of 3 and ignores the screening effects of any intervening objects and forestry.
- 5. This figure is produced in accordance with SNH Visual Representation of Wind Farms 2017 guidance and also broadly accords with the Landscape Institute's Technical Guidance Note 6/19 (Type 4 Visualisation).





Lorg Wind Farm EIA Report

Figure 9.22a

Viewpoint 1: The Striding Arches - Colt Hill

September 2022









Photomontage

Note: This 90 degree FoV photomontage is produced in addition to the NatureScot 'Visual Representation of Wind Farms' guidance and illustrates the Proposed Development in its landscape setting.

OS reference: Eye level: Direction of view: E269 837, N598 9 599.5m AOD 300°

Horizontal field of view:
Principal distance:
Paper size:
Correct printed image siz

ical projection) Cam
Len:

7mm (half A1) Cam
Date

Canon EOS 5D Mk2 50mm (Canon EF 50mm f/1.8) 1.5m AGL

RWE

Lorg Wind Farm EIA Report Figure 9.22e Viewpoint 1: The Striding Arches - Colt Hill

View flat at a comfortable arm's length

022