Key

90° horizontal field of view 53.5° horizontal field of view

1 - 3 blade tips may be visible

- 7 blade tips may be visible



8 - 11 blade tips may be visible

12 - 15 blade tips may be visible

Viewpoint Parameters

OS reference: E265 867, N598 033

Ground Level Elevation: 244m AOD

Camera Height: 1.5m AGL

Direction of view to site centre³: 24°

Distance to nearest turbine: 2,407m

Number of blade tips theoretically visible4:

Number of hubs theoretically visible⁴:

Date and time of viewpoint photography: 19/05/2022 @ 16:05

Canon EOS 5D Mk2

50mm (Canon EF 50mm f/1.8)

Information on the limitations of visualisations:

Visualisations of wind farms have a number of limitations which you should be aware of when using them to form a judgement on a wind farm proposal. These include:

- A visualisation can never show exactly what the wind farm will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the image;
- The images provided give a reasonable impression of the scale of the turbines and the distance to the turbines, but can never be 100% accurate;
- A static image cannot convey turbine movement, or flicker or reflection from the sun on the turbine blades as they move;
- The viewpoints illustrated are representative of views in the area, but cannot represent visibility at all locations;
- To form the best impression of the impacts of the wind farm proposal these images are best viewed at the viewpoint location shown;
- The images must be printed at the right size to be viewed properly (260mm by 820mm);
- You should hold the images flat at a comfortable arm's length. If viewing these images on a wall or board at an exhibition, you should stand at arm's length from the image
- The ZTV presented here takes no account of the screening effects of vegetation or buildings.

Additional notes:

1. This figure has been based on the following parameters: Turbine layout file: LS36LORG2020019.WFL

• Hub height: 119m

• Rotor diameter: 162m

• Height to blade tip: 200m


- 2. Turbine positions could be subject to micro-siting (typically up to 50m).
- 3. Direction given as bearing relative to Grid North (BNG).
- 4. The number of turbine blades and hubs theoretically visible is counted from the wireframe in sets of 3 and ignores the screening effects of any intervening objects and forestry.




Lorg Wind Farm EIA Report

Figure 9.27a **Viewpoint 6: Minor road from Smittons Bridge to Lorg Bridge**










1.5m AGL





Western Group



Photomontage

Note: This 90 degree FoV photomontage is produced in addition to the NatureScot 'Visual Representation of Wind Farms' guidance and illustrates the Proposed Development in its landscape setting.

Eye level: Direction of view:

Canon EOS 5D Mk2 50mm (Canon EF 50mm f/1.8) 1.5m AGL

RWE

Lorg Wind Farm EIA Report

Figure 9.27h Viewpoint 6: Minor road from Smittons Bridge to Lorg Bridge

Eastern Group



Photomontage

Note: This 90 degree FoV photomontage is produced in addition to the NatureScot 'Visual Representation of Wind Farms' guidance and illustrates the Proposed Development in its landscape setting.

OS reference:

Eye level:

Direction of view:

E265 867, N598 033 245.5m AOD 59°

lorizontal field of view:
rincipal distance:
aper size:
orrect printed image size:

ection) Camera:

Lens:

alf A1) Camera height:

Date and time:

Canon EOS 5D Mk2
50mm (Canon EF 50mm f/1.8)
1.5m AGL

RWE

Lorg Wind Farm EIA Report Figure 9.27i Viewpoint 6: Minor road from Smittons Bridge to Lorg Bridge

View flat at a comfortable arm's length
27i
at 6: Minor road from

