Viewpoint Parameters

OS reference: E260 261, N614 742

Ground Level Elevation: 198m AOD

Camera Height: 1.5m AGL

Direction of view to site centre³: 154°

Distance to nearest turbine: 13,004m

Number of blade tips theoretically visible⁴: 5

Number of hubs theoretically visible⁴: 5

Date and time of viewpoint photography: 19/05/2022 @ 18:25

Camera: Canon EOS 5D Mk2

Lens: 50mm (Canon EF 50mm f/1.8)

Information on the limitations of visualisations:

Visualisations of wind farms have a number of limitations which you should be aware of when using them to form a judgement on a wind farm proposal. These include:

- A visualisation can never show exactly what the wind farm will look like in reality due to factors such as: different lighting, weather and seasonal conditions which vary through time and the resolution of the image;
- The images provided give a reasonable impression of the scale of the turbines and the distance to the turbines, but can never be 100% accurate;
- A static image cannot convey turbine movement, or flicker or reflection from the sun on the turbine blades as they move;
- The viewpoints illustrated are representative of views in the area, but cannot represent visibility at all locations;
- To form the best impression of the impacts of the wind farm proposal these images are best viewed at the viewpoint location shown;
- The images must be printed at the right size to be viewed properly (260mm by 820mm);
- You should hold the images flat at a comfortable arm's length. If viewing these images on a wall or board at an exhibition, you should stand at arm's length from the image presented.
- The ZTV presented here takes no account of the screening effects of vegetation or buildings.

Additional notes:

This figure has been based on the following parameters:
Turbine layout file: LS36LORG2020019.WFL

• Hub height: 119m

- Rotor diameter: 162m
- Height to blade tip: 200m
- 2. Turbine positions could be subject to micro-siting (typically up to 50m).
- 3. Direction given as bearing relative to Grid North (BNG).
- The number of turbine blades and hubs theoretically visible is counted from the wireframe in sets of 3 and ignores the screening effects of any intervening objects and forestry.

ent



Lorg Wind Farm EIA Report

Figure 9.34a Viewpoint 13: Lochside Hotel

wsp

October 2022

a\Projects\32964 - 36 SUB Lorg FELLVIA\DU4U\Drawings\2U22 S36\VP13 Locnside Hotel 32964-GUS633_K4.Indd

Key

90° horizontal field of view 53.5° horizontal field of view

,


1 - 3 blade tips may be visible


4 - 7 blade tips may be visible



8 - 11 blade tips may be visible

12 - 15 blade tips may be visible







H:\data\Projects\32964 - 36 SUB Lorq FEI LVIA\D040\Drawings\2022 S36\VP13 Lochside Hotel 32964-GOS633_R4.indd Origina